



GR DUAL-LOCK™ GENERAL DUTY SELF-LOADING REEL TRAILER SPECS



EXCLUSIVE STANDARD ADDED VALUE:

- DUAL-LOCK™ Technology Provides Industry Leading Safety, Ease of Use, Low Maintenance, and Durability.
- SAFETY and Peace of Mind
- No Pins, Cotters, or Lanyards that Secure the Reel Arbor (which is the most critical safety point)
- Faster Reel Loading, Unloading, and Deployment Reduce Labor Costs and Fatigue on Workers.

BUILT FOR SAFETY. BUILT FOR SPEED. BUILT TO LAST.

CAPACITIES

- GR6K: 8,050 lbs. GVWR @ 15% Tongue Weight (available special order)
- GR8K: 11,050 lbs. GVWR @ 15% Tongue Weight
- GR10K: 13,800 lbs. GVWR @ 15% Tongue Weight

AXLES

- GR6K: 7K lbs. Axle
- GR8K: 10K lbs. Axle
- GR10K: 12K lbs. Axle

WHEELS

- GR6K: (2) 16 x 6K / 8 on 6.5 BC w/ Zeroset
- GR8K: (2) 17.5 x 6.75 HC / 8 on 6.5 BC w/ 0.19 Inset
- GR10K: (2) 17.5 x 6.75 HC / 8 on 6.5 BC w/ 0.19 Inset

TIRES

- GR6K: (2) 235/85R16 LR-E Tires
- GR8K: (2) 215/75R17.5 LR-H Tires
- GR10K: (2) 235/75R17.5 LR-H Tires

BRAKES

- GR6K: 12.25" x 3.38" Electric w/ Safety Breakaway Kit
- GR8K: 12.25" x 3.38" Electric w/ Safety Breakaway Kit
- GR10K: 12.25" x 5.00" Electric w/ Safety Breakaway Kit

PAYLOAD: ALL FINAL PAYLOADS BASED ON CHOSEN MODEL AND OPTIONS

REEL WEIGHT (PAYLOAD)

- GR6K: 6,000 lbs. Approx.
- GR8K: 8,500 lbs. Approx.
- GR10K: 10,000 lbs. Approx.

REEL DIAMETER: 125" Maximum

REEL OPENING

- GR6K: 66" Approx.
- GR8K: 64" Approx.
- GR10K: 60.50" Approx.

REEL SHAFT DIAMETER: 2.50" Solid w/ Centering Collars

OVERALL LENGTH: 142" Approx.

—All specifications / designs are subject to change without notice - All GVWR and reel capacities are de-rateable to your needs.

OVERALL WIDTH: 102" Overall Width

OVERALL WEIGHT: Actual Trailer Weight will Vary with Options & Finishes Chosen.

STANDARD FEATURES

- DUAL-LOCK™ Technology Provides Industry Leading Safety, Ease of Use, Low Maintenance, and Durability.
- Auto-locking Swing Out Reel Bar Retainer w/ Secondary Cylinder Lock
- Oil Bath Hubs (Greaseable Option All)
- Electric Brakes

STANDARD TRAILER BODY

- Heavy Duty 6" X 4" X ¼" Frame
- 6-Position Adjustable Hitch
- ¾" X 36" GR70 Yellow Zinc Safety Chains with Hooks
- 8,000 lbs. Static Front Jack

WIRING

- DOT / ICC Approved LED Lights and Conspicuity Reflective Tape
- FMVSS / CMVSS Standard 108 LED Lighting
- Sealed Beam, Rubber Mounted Stop, Turn, Tail and Marker Lights
- 100% Sealed Heat-Shrunked Wiring Connections w/ Full Loom
- Breakaway Kit with Absorbed Glass Mat (AGM) Battery

PAINT

- I.M.P.A.C.T Intense Metal pH Acid Cleaning Technology
- Hydrofluoric, Sulfuric, Phosphoric ACID Blend Cleaning Preparation (Re-used sandblasting material can impregnate metals with oil)
- Seams Caulked
- Rust Preventative 2-Part Epoxy Primer
- Standard Colors: Red, Black, White and CAT Yellow

OPTIONS

- 13 HP HONDA Engine Hydraulic Power Pack Comes STANDARD w/ ENGINE COVER, 15 Gallon Reservoir, Replaceable Oil Filter, Pressure Gauge and Solar Fade Resistant

Plastic

Control Placard. (Electric Start Optional)


- 10-Year Galvanized Structural Warranty (2-Year Painted)
- 16" Long 6-Bolt Hitch Extension (w/ 52" Safety Chains and Breakaway Cable Extension)
- 3" Lunette Eye
- Rotating Arbor Ground
- Wiring Connections Soldered and Sealed w/ Heat Shrink Tubing
- Plug-and-Play Sealco Wiring Harness
- Wheel Chocks: Rubber or All Weather Galvanized Grip Strut

—All specifications / designs are subject to change without notice - All GVWR and reel capacities are de-rateable to your needs.

OPTIONS (cont.)

- Spare Tire and Mount
- Solar Charged Breakaway Kit
- All Stainless Steel Fasteners (½" and under)
- 13 HP Honda Engine Hydraulic Power Unit
- Engine Cover
- 12V Electric over Hydraulic Power Option
- 9" Bronze Overspin Brake
- Truck-Lite Lighting

—All specifications / designs are subject to change without notice - All GVWR and reel capacities are de-rateable to your needs.



UNLESS OTHERWISE SPECIFIED:		DIMENSIONS ARE IN INCHES	
TOLERANCES:		TOLERANCES:	
DECIMAL .XX = ±0.0040		ANGULAR ± 1.0°	
FRACTIONS 1/16" = ±0.0031		DECIMAL .XXX = ±0.005	
FRACTIONS 1/8" = ±0.0031		FRACTIONS 1/4" = ±0.0031	
FRACTIONS 3/16" = ±0.0031		FRACTIONS 1/2" = ±0.0031	
FRACTIONS 5/8" = ±0.0031		FRACTIONS 3/4" = ±0.0031	
FRACTIONS 7/8" = ±0.0031		FRACTIONS 1" = ±0.0031	
FRACTIONS 1 1/8" = ±0.0031		FRACTIONS 1 1/4" = ±0.0031	
FRACTIONS 1 3/8" = ±0.0031		FRACTIONS 1 1/2" = ±0.0031	
FRACTIONS 1 5/8" = ±0.0031		FRACTIONS 1 3/4" = ±0.0031	
FRACTIONS 1 7/8" = ±0.0031		FRACTIONS 2" = ±0.0031	
FRACTIONS 2 1/8" = ±0.0031		FRACTIONS 2 1/4" = ±0.0031	
FRACTIONS 2 3/8" = ±0.0031		FRACTIONS 2 1/2" = ±0.0031	
FRACTIONS 2 5/8" = ±0.0031		FRACTIONS 2 3/4" = ±0.0031	
FRACTIONS 2 7/8" = ±0.0031		FRACTIONS 3" = ±0.0031	
FRACTIONS 3 1/8" = ±0.0031		FRACTIONS 3 1/4" = ±0.0031	
FRACTIONS 3 3/8" = ±0.0031		FRACTIONS 3 1/2" = ±0.0031	
FRACTIONS 3 5/8" = ±0.0031		FRACTIONS 3 3/4" = ±0.0031	
FRACTIONS 3 7/8" = ±0.0031		FRACTIONS 4" = ±0.0031	
FRACTIONS 4 1/8" = ±0.0031		FRACTIONS 4 1/4" = ±0.0031	
FRACTIONS 4 3/8" = ±0.0031		FRACTIONS 4 1/2" = ±0.0031	
FRACTIONS 4 5/8" = ±0.0031		FRACTIONS 4 3/4" = ±0.0031	
FRACTIONS 4 7/8" = ±0.0031		FRACTIONS 5" = ±0.0031	
FRACTIONS 5 1/8" = ±0.0031		FRACTIONS 5 1/4" = ±0.0031	
FRACTIONS 5 3/8" = ±0.0031		FRACTIONS 5 1/2" = ±0.0031	
FRACTIONS 5 5/8" = ±0.0031		FRACTIONS 5 3/4" = ±0.0031	
FRACTIONS 5 7/8" = ±0.0031		FRACTIONS 6" = ±0.0031	
FRACTIONS 6 1/8" = ±0.0031		FRACTIONS 6 1/4" = ±0.0031	
FRACTIONS 6 3/8" = ±0.0031		FRACTIONS 6 1/2" = ±0.0031	
FRACTIONS 6 5/8" = ±0.0031		FRACTIONS 6 3/4" = ±0.0031	
FRACTIONS 6 7/8" = ±0.0031		FRACTIONS 7" = ±0.0031	
FRACTIONS 7 1/8" = ±0.0031		FRACTIONS 7 1/4" = ±0.0031	
FRACTIONS 7 3/8" = ±0.0031		FRACTIONS 7 1/2" = ±0.0031	
FRACTIONS 7 5/8" = ±0.0031		FRACTIONS 7 3/4" = ±0.0031	
FRACTIONS 7 7/8" = ±0.0031		FRACTIONS 8" = ±0.0031	
FRACTIONS 8 1/8" = ±0.0031		FRACTIONS 8 1/4" = ±0.0031	
FRACTIONS 8 3/8" = ±0.0031		FRACTIONS 8 1/2" = ±0.0031	
FRACTIONS 8 5/8" = ±0.0031		FRACTIONS 8 3/4" = ±0.0031	
FRACTIONS 8 7/8" = ±0.0031		FRACTIONS 9" = ±0.0031	
FRACTIONS 9 1/8" = ±0.0031		FRACTIONS 9 1/4" = ±0.0031	
FRACTIONS 9 3/8" = ±0.0031		FRACTIONS 9 1/2" = ±0.0031	
FRACTIONS 9 5/8" = ±0.0031		FRACTIONS 9 3/4" = ±0.0031	
FRACTIONS 9 7/8" = ±0.0031		FRACTIONS 10" = ±0.0031	
FRACTIONS 10 1/8" = ±0.0031		FRACTIONS 10 1/4" = ±0.0031	
FRACTIONS 10 3/8" = ±0.0031		FRACTIONS 10 1/2" = ±0.0031	
FRACTIONS 10 5/8" = ±0.0031		FRACTIONS 10 3/4" = ±0.0031	
FRACTIONS 10 7/8" = ±0.0031		FRACTIONS 11" = ±0.0031	
FRACTIONS 11 1/8" = ±0.0031		FRACTIONS 11 1/4" = ±0.0031	
FRACTIONS 11 3/8" = ±0.0031		FRACTIONS 11 1/2" = ±0.0031	
FRACTIONS 11 5/8" = ±0.0031		FRACTIONS 11 3/4" = ±0.0031	
FRACTIONS 11 7/8" = ±0.0031		FRACTIONS 12" = ±0.0031	
FRACTIONS 12 1/8" = ±0.0031		FRACTIONS 12 1/4" = ±0.0031	
FRACTIONS 12 3/8" = ±0.0031		FRACTIONS 12 1/2" = ±0.0031	
FRACTIONS 12 5/8" = ±0.0031		FRACTIONS 12 3/4" = ±0.0031	
FRACTIONS 12 7/8" = ±0.0031		FRACTIONS 13" = ±0.0031	
FRACTIONS 13 1/8" = ±0.0031		FRACTIONS 13 1/4" = ±0.0031	
FRACTIONS 13 3/8" = ±0.0031		FRACTIONS 13 1/2" = ±0.0031	
FRACTIONS 13 5/8" = ±0.0031		FRACTIONS 13 3/4" = ±0.0031	
FRACTIONS 13 7/8" = ±0.0031		FRACTIONS 14" = ±0.0031	
FRACTIONS 14 1/8" = ±0.0031		FRACTIONS 14 1/4" = ±0.0031	
FRACTIONS 14 3/8" = ±0.0031		FRACTIONS 14 1/2" = ±0.0031	
FRACTIONS 14 5/8" = ±0.0031		FRACTIONS 14 3/4" = ±0.0031	
FRACTIONS 14 7/8" = ±0.0031		FRACTIONS 15" = ±0.0031	
FRACTIONS 15 1/8" = ±0.0031		FRACTIONS 15 1/4" = ±0.0031	
FRACTIONS 15 3/8" = ±0.0031		FRACTIONS 15 1/2" = ±0.0031	
FRACTIONS 15 5/8" = ±0.0031		FRACTIONS 15 3/4" = ±0.0031	
FRACTIONS 15 7/8" = ±0.0031		FRACTIONS 16" = ±0.0031	
FRACTIONS 16 1/8" = ±0.0031		FRACTIONS 16 1/4" = ±0.0031	
FRACTIONS 16 3/8" = ±0.0031		FRACTIONS 16 1/2" = ±0.0031	
FRACTIONS 16 5/8" = ±0.0031		FRACTIONS 16 3/4" = ±0.0031	
FRACTIONS 16 7/8" = ±0.0031		FRACTIONS 17" = ±0.0031	
FRACTIONS 17 1/8" = ±0.0031		FRACTIONS 17 1/4" = ±0.0031	
FRACTIONS 17 3/8" = ±0.0031		FRACTIONS 17 1/2" = ±0.0031	
FRACTIONS 17 5/8" = ±0.0031		FRACTIONS 17 3/4" = ±0.0031	
FRACTIONS 17 7/8" = ±0.0031		FRACTIONS 18" = ±0.0031	
FRACTIONS 18 1/8" = ±0.0031		FRACTIONS 18 1/4" = ±0.0031	
FRACTIONS 18 3/8" = ±0.0031		FRACTIONS 18 1/2" = ±0.0031	
FRACTIONS 18 5/8" = ±0.0031		FRACTIONS 18 3/4" = ±0.0031	
FRACTIONS 18 7/8" = ±0.0031		FRACTIONS 19" = ±0.0031	
FRACTIONS 19 1/8" = ±0.0031		FRACTIONS 19 1/4" = ±0.0031	
FRACTIONS 19 3/8" = ±0.0031		FRACTIONS 19 1/2" = ±0.0031	
FRACTIONS 19 5/8" = ±0.0031		FRACTIONS 19 3/4" = ±0.0031	
FRACTIONS 19 7/8" = ±0.0031		FRACTIONS 20" = ±0.0031	
FRACTIONS 20 1/8" = ±0.0031		FRACTIONS 20 1/4" = ±0.0031	
FRACTIONS 20 3/8" = ±0.0031		FRACTIONS 20 1/2" = ±0.0031	
FRACTIONS 20 5/8" = ±0.0031		FRACTIONS 20 3/4" = ±0.0031	
FRACTIONS 20 7/8" = ±0.0031		FRACTIONS 21" = ±0.0031	
FRACTIONS 21 1/8" = ±0.0031		FRACTIONS 21 1/4" = ±0.0031	
FRACTIONS 21 3/8" = ±0.0031		FRACTIONS 21 1/2" = ±0.0031	
FRACTIONS 21 5/8" = ±0.0031		FRACTIONS 21 3/4" = ±0.0031	
FRACTIONS 21 7/8" = ±0.0031		FRACTIONS 22" = ±0.0031	
FRACTIONS 22 1/8" = ±0.0031		FRACTIONS 22 1/4" = ±0.0031	
FRACTIONS 22 3/8" = ±0.0031		FRACTIONS 22 1/2" = ±0.0031	
FRACTIONS 22 5/8" = ±0.0031		FRACTIONS 22 3/4" = ±0.0031	
FRACTIONS 22 7/8" = ±0.0031		FRACTIONS 23" = ±0.0031	
FRACTIONS 23 1/8" = ±0.0031		FRACTIONS 23 1/4" = ±0.0031	
FRACTIONS 23 3/8" = ±0.0031		FRACTIONS 23 1/2" = ±0.0031	
FRACTIONS 23 5/8" = ±0.0031		FRACTIONS 23 3/4" = ±0.0031	
FRACTIONS 23 7/8" = ±0.0031		FRACTIONS 24" = ±0.0031	
FRACTIONS 24 1/8" = ±0.0031		FRACTIONS 24 1/4" = ±0.0031	
FRACTIONS 24 3/8" = ±0.0031		FRACTIONS 24 1/2" = ±0.0031	
FRACTIONS 24 5/8" = ±0.0031		FRACTIONS 24 3/4" = ±0.0031	
FRACTIONS 24 7/8" = ±0.0031		FRACTIONS 25" = ±0.0031	
FRACTIONS 25 1/8" = ±0.0031		FRACTIONS 25 1/4" = ±0.0031	
FRACTIONS 25 3/8" = ±0.0031		FRACTIONS 25 1/2" = ±0.0031	
FRACTIONS 25 5/8" = ±0.0031		FRACTIONS 25 3/4" = ±0.0031	
FRACTIONS 25 7/8" = ±0.0031		FRACTIONS 26" = ±0.0031	
FRACTIONS 26 1/8" = ±0.0031		FRACTIONS 26 1/4" = ±0.0031	
FRACTIONS 26 3/8" = ±0.0031		FRACTIONS 26 1/2" = ±0.0031	
FRACTIONS 26 5/8" = ±0.0031		FRACTIONS 26 3/4" = ±0.0031	
FRACTIONS 26 7/8" = ±0.0031		FRACTIONS 27" = ±0.0031	
FRACTIONS 27 1/8" = ±0.0031		FRACTIONS 27 1/4" = ±0.0031	
FRACTIONS 27 3/8" = ±0.0031		FRACTIONS 27 1/2" = ±0.0031	
FRACTIONS 27 5/8" = ±0.0031		FRACTIONS 27 3/4" = ±0.0031	
FRACTIONS 27 7/8" = ±0.0031		FRACTIONS 28" = ±0.0031	
FRACTIONS 28 1/8" = ±0.0031		FRACTIONS 28 1/4" = ±0.0031	
FRACTIONS 28 3/8" = ±0.0031		FRACTIONS 28 1/2" = ±0.0031	
FRACTIONS 28 5/8" = ±0.0031		FRACTIONS 28 3/4" = ±0.0031	
FRACTIONS 28 7/8" = ±0.0031		FRACTIONS 29" = ±0.0031	
FRACTIONS 29 1/8" = ±0.0031		FRACTIONS 29 1/4" = ±0.0031	
FRACTIONS 29 3/8" = ±0.0031		FRACTIONS 29 1/2" = ±0.0031	
FRACTIONS 29 5/8" = ±0.0031		FRACTIONS 29 3/4" = ±0.0031	
FRACTIONS 29 7/8" = ±0.0031		FRACTIONS 30" = ±0.0031	
FRACTIONS 30 1/8" = ±0.0031		FRACTIONS 30 1/4" = ±0.0031	
FRACTIONS 30 3/8" = ±0.0031		FRACTIONS 30 1/2" = ±0.0031	
FRACTIONS 30 5/8" = ±0.0031		FRACTIONS 30 3/4" = ±0.0031	
FRACTIONS 30 7/8" = ±0.0031		FRACTIONS 31" = ±0.0031	
FRACTIONS 31 1/8" = ±0.0031		FRACTIONS 31 1/4" = ±0.0031	
FRACTIONS 31 3/8" = ±0.0031		FRACTIONS 31 1/2" = ±0.0031	
FRACTIONS 31 5/8" = ±0.0031		FRACTIONS 31 3/4" = ±0.0031	
FRACTIONS 31 7/8" = ±0.0031		FRACTIONS 32" = ±0.0031	
FRACTIONS 32 1/8" = ±0.0031		FRACTIONS 32 1/4" = ±0.0031	
FRACTIONS 32 3/8" = ±0.0031		FRACTIONS 32 1/2" = ±0.0031	
FRACTIONS 32 5/8" = ±0.0031		FRACTIONS 32 3/4" = ±0.0031	
FRACTIONS 32 7/8" = ±0.0031		FRACTIONS 33" = ±0.0031	
FRACTIONS 33 1/8" = ±0.0031		FRACTIONS 33 1/4" = ±0.0031	
FRACTIONS 33 3/8" = ±0.0031		FRACTIONS 33 1/2" = ±0.0031	
FRACTIONS 33 5/8" = ±0.0031		FRACTIONS 33 3/4" = ±0.0031	
FRACTIONS 33 7/8" = ±0.0031		FRACTIONS 34" = ±0.0031	

